


Lupo
Made in Italy



Cod 904

MovielightPRO





Full Color 300

Technical Data

Dimensions (cm)	212 x 274 x 352 mm
Dimensions (in)	8.3 x 10.7 x 13.8 in
Weight (kg)	5 kg
Weight (lb)	11 lb
CRI (Colour Rendering Index)	95
TLCI (Television Lighting Consistency Index)	96
Estimated LED lifetime (L80)	50,000 hours
LED COB	200 W
Dimmer 0 - 100	included
Dimming curves mode	Linear, Exponential, Logarithmic
Connection for 14.8 V battery with standard XLR 4 pin connector (pin 1: negative / pin 4: positive)	included
Standard XLR 5 pin connectors to DMX console	included
Bluetooth Long Range	included
Accessory type	Bowens Mount
Parabolic Hyper Reflector	included
Watt consumption	220 W
Firmware upgrades	through USB port
Colour temperature	2800 - 10000 K
Voltage AC	90 V - 240 V
Voltage DC	14.8 V
Light beam	85° (bare bulb) - 55° (with hyper reflector)
Frequency (input)	50 / 60 Hz
Compliance	CE
Remote control	Bluetooth Long Range / DMX / RDM
Ambient temperature	Max: + 45°C / Min: - 10°C
Power factor	0.9

Photometric data	6500 K		5600 K		3200 K	
	bare bulb	hyper reflector	bare bulb	hyper reflector	bare bulb	hyper reflector
Distance						
Lux at 1 m - 3.2 ft	5100	16800	4750	16300	4350	15000
Lux at 2 m - 6.5 ft	1150	3100	1120	3000	1050	2900
Lux at 3 m - 9.8 ft	515	1270	510	1260	495	1210
Lux at 4 m - 13.1 ft	302	730	300	720	290	710
Lux at 5 m - 16.4 ft	205	470	200	465	190	440

Technical Drawing



Lupo
Made in Italy

Lupo srl - Via V. Sassi 28 Collegno (TO) - 10093 - Italy
Phone: +39 011 411 9919 / **e-mail:** contact@lupo.it
website: www.lupo.it